

Modern C++ Programming

6. BASIC CONCEPTS V FUNCTIONS AND PREPROCESSING

Federico Busato

2024-04-02

1 Functions

- Pass by-Value
- Pass by-Pointer
- Pass by-Reference
- Function Signature and Overloading
- Overloading and `=delete`
- Default Parameters
- Attributes `[[attribute]]`

2 Function Pointers and Function Objects

- Function Pointer
- Function Object (or Functor)

3 Lambda Expressions

- Capture List
- Parameters
- Composability
- `constexpr/consteval`
- `template`
- `mutable`
- `[[nodiscard]]`
- Capture List and Classes

4 Preprocessing

- Preprocessors
- Common Errors
- Source Location Macros
- Condition Compiling Macros
- Stringizing Operator #
- #error and #warning
- #pragma
- Token-Pasting Operator ## ★
- Variadic Macro ★

Functions

A **function** (**procedure** or **routine**) is a piece of code that performs a *specific task*

Purpose:

- **Avoiding code duplication:** less code for the same functionality → less bugs
- **Readability:** better express what the code does
- **Organization:** break the code in separate modules

Function Parameter and Argument

Function Parameter [formal]

A **parameter** is the variable which is part of the method signature

Function Argument [actual]

An **argument** is the actual value (instance) of the variable that gets passed to the function

```
void f(int a, char* b); // parameters: int a, char* b
                        // return type: void

f(3, "abc");           // arguments: 3, "abc"
```


Call-by-value

The object is copied and assigned to input arguments of the method `f(T x)`

Advantages:

- Changes made to the parameter inside the function have no effect on the argument

Disadvantages:

- Performance penalty if the copied arguments are large (e.g. a structure with several data members)

When to use:

- Built-in data type and small objects (≤ 8 bytes)

When not to use:

- Fixed size arrays which decay into pointers
- Large objects

Call-by-pointer

The address of a variable is copied and assigned to input arguments of the method

```
f(T* x)
```

Advantages:

- Allows a function to change the value of the argument
- The argument is not copied (fast)

Disadvantages:

- The argument may be a null pointer
- Dereferencing a pointer is slower than accessing a value directly

When to use:

- *Raw* arrays (use `const T*` if read-only)

When not to use:

- All other cases

Call-by-reference

The reference of a variable is copied and assigned to input arguments of the method
`f(T& x)`

Advantages:

- Allows a function to change the value of the argument (better readability compared with pointers)
- The argument is not copied (fast)
- References must be initialized (no null pointer)
- Avoid implicit conversion (without `const T&`)

When to use:

- All cases except raw pointers

When not to use:

- Pass by-value *could* give performance advantages and improve the readability with built-in data type and small objects that are trivially copyable

Examples

```
struct MyStruct;

void f1(int a);           // pass by-value
void f2(int& a);         // pass by-reference
void f3(const int& a);   // pass by-const reference
void f4(MyStruct& a);    // pass by-reference

void f5(int* a);         // pass by-pointer
void f6(const int* a);   // pass by-const pointer
void f7(MyStruct* a);    // pass by-pointer

void f8(int*& a);        // pass a pointer by-reference
//-----
char c = 'a';
f1(c);    // ok, pass by-value (implicit conversion)
// f2(c); // compile error different types
f3(c);    // ok, pass by-value (implicit conversion)
```

Signature

Function signature defines the *input types* for a (specialized) function and the *inputs + outputs types* for a template function

A function signature includes the number of arguments, the types of arguments, and the order of the arguments

- The C++ standard prohibits a function declaration that only differs in the return type
- Function declarations with different signatures can have distinct return types

Overloading

Function overloading allows having distinct functions with the same name but with different *signatures*

```
void f(int a, char* b);           // signature: (int, char*)

// char f(int a, char* b);       // compile error same signature
// but different return types

void f(const int a, char* b);     // same signature, ok
// const int == int

void f(int a, const char* b);    // overloading with signature: (int, const char*)

int f(float);                    // overloading with signature: (float)
// the return type is different
```

Overloading Resolution Rules

- An exact match
- A promotion (e.g. `char` to `int`)
- A standard type conversion (e.g. `float` and `int`)
- A constructor or user-defined type conversion \rightsquigarrow

```
void f(int a);  
void f(float b); // overload  
void f(float b, char c); // overload  
//-----  
f(0); // exact match  
f('a'); // promotion from char to int (promotion)  
// f(3LL); // compile error ambiguous match  
f(2.3f); // exact match  
// f(2.3); // compile error ambiguous match  
f(2.3, 'a'); // standard type conversion, ambiguity is not possible here
```

Overloading and =delete

=delete can be used to prevent calling the wrong overload

```
void g(int) {}
```

```
void g(double) = delete;
```

```
g(3); // ok
```

```
g(3.0); // compile error
```

```
#include <cstddef> // std::nullptr_t
```

```
void f(int*) {}
```

```
void f(std::nullptr_t) = delete;
```

```
f(nullptr); // compile error
```


Function Default Parameters

Default/Optional parameter

A **default parameter** is a function parameter that has a default value

- If the user does not supply a value for this parameter, the default value will be used
- All default parameters must be the rightmost parameters
- Default parameters must be declared only once
- Default parameters can improve compile time and avoid redundant code because they avoid defining other overloaded functions

```
void f(int a, int b = 20);           // declaration

//void f(int a, int b = 10) { ... } // compile error, already set in the declaration

void f(int a, int b) { ... }       // definition, default value of "b" is already set

f(5); // b is 20
```

C++ allows marking functions with standard properties to better express their intent:

- C++11 `[[noreturn]]` indicates that a function does not return for optimization purposes or compiler warnings
- C++14 `[[deprecated]]` , `[[deprecated("reason")]]` indicates the use of a function is discouraged. It issues a compiler warning if used
- C++17 `[[nodiscard]]`
C++20 `[[nodiscard("reason")]]` issues a warning if the return value of a function is discarded (not handled)

```
[[deprecated]] void my_rand() { ... }
```

```
[[deprecated("please use rnd()")] void my_rand2() { ... }
```

```
[[nodiscard]] int f() { return 3; }
```

```
[[noreturn]] void g() { std::exit(0); }
```

```
my_rand(); // WARNING: "my_rand() is deprecated"
```

```
my_rand2(); // WARNING: "my_rand2() is deprecated, please use rnd()"
```

```
f(); // WARNING "discard return value"
```

```
int z = f(); // no warning
```

```
g(); // no code after calling this function
```

Function Pointers and Function Objects

Standard C achieves generic programming capabilities and composability through the concept of **function pointer**

A function can be passed as a pointer to another function and behaves as an *“indirect call”*

```
#include <stdlib.h> // qsort

int descending(const void* a, const void* b) {
    return *((const int*) a) > *((const int*) b);
}

int array[] = {7, 2, 5, 1};
qsort(array, 4, sizeof(int), descending);
// array: { 7, 5, 2, 1 }
```

```
int eval(int a, int b, int (*f)(int, int)) {  
    return f(a, b);  
}  
  
// type: int (*)(int, int)  
int add(int a, int b) { return a + b; }  
int sub(int a, int b) { return a - b; }  
  
cout << eval(4, 3, add); // print 7  
cout << eval(4, 3, sub); // print 1
```

Problems:

Safety There is no check of the argument type in the generic case (e.g. `qsort`)

Performance Any operation requires an indirect call to the original function. Function inlining is not possible

Function Object

A **function object**, or **functor**, is a *callable* object that can be treated as a parameter

C++ provides a more efficient and convenience way to pass “*procedure*” to other functions called **function object**

```
#include <algorithm> // for std::sort

struct Descending { // <-- function object
    bool operator()(int a, int b) { // function call operator
        return a > b;
    }
};

int array[] = {7, 2, 5, 1};
std::sort(array, array + 4, Descending{});
// array: { 7, 5, 2, 1 }
```

Advantages:

Safety Argument type checking is always possible. It could involve templates

Performance The compiler injects `operator()` in the code of the destination function and then compile the routine. Operator inlining is the standard behavior

C++11 simplifies the concept by providing less verbose function objects called **lambda expressions**

Lambda Expressions

Lambda Expression

Lambda Expression

A **C++11 lambda expression** is an *inline local-scope* function object

```
auto x = [capture clause] (parameters) { body }
```

- The **[capture clause]** marks the declaration of the lambda and how the local scope arguments are captured (by-value, by-reference, etc.)
- The **parameters** of the lambda are normal function parameters (optional)
- The **body** of the lambda is a normal function body

The expression to the right of **=** is the **lambda expression**, and the runtime object **x** created by that expression is the **closure**

Lambda Expression

```
#include <algorithm> // for std::sort

int array[] = {7, 2, 5, 1};
auto lambda = [](int a, int b){ return a > b; }; // named lambda

std::sort(array, array + 4, lambda);
// array: { 7, 5, 2, 1 }

// in alternative, in one line of code:           // unnamed lambda
std::sort(array, array + 4, [](int a, int b){ return a > b; });
// array: { 7, 5, 2, 1 }
```

Capture List

Lambda expressions *capture* external variables used in the body of the lambda in two ways:

- Capture *by-value*
- Capture *by-reference* (can modify external variable values)

Capture list can be passed as follows

- `[]` no capture
- `[=]` captures all variables *by-value*
- `[&]` captures all variables *by-reference*
- `[var1]` captures only `var1` *by-value*
- `[&var2]` captures only `var2` *by-reference*
- `[var1, &var2]` captures `var1` *by-value* and `var2` *by-reference*

Capture List Examples

```
// GOAL: find the first element greater than "limit"
#include <algorithm> // for std::find_if
int limit = ...

auto lambda1 = [=](int value)    { return value > limit; }; // by-value
auto lambda2 = [&](int value)    { return value > limit; }; // by-reference
auto lambda3 = [limit](int value) { return value > limit; }; // "limit" by-value
auto lambda4 = [&limit](int value) { return value > limit; }; // "limit" by-reference
// auto lambda5 = [](int value)   { return value > limit; }; // no capture
//                               // compile error

int array[] = {7, 2, 5, 1};
std::find_if(array, array + 4, lambda1);
```

Capture List - Other Cases

- `[=, &var1]` captures all variables used in the body of the lambda **by-value**, except `var1` that is captured **by-reference**
- `[&, var1]` captures all variables used in the body of the lambda **by-reference**, except `var1` that is captured **by-value**
- A lambda expression can read a variable without capturing it if the variable is `constexpr`

```
constexpr int limit = 5;
int var1 = 3, var2 = 4;

auto lambda1 = [](int value){ return value > limit; };

auto lambda2 = [=, &var2]() { return var1 > var2;  };
```

Lambda Expressions - Parameters

C++14 Lambda expression parameters can be automatically deduced

```
auto x = [](auto value) { return value + 4; };
```

C++14 Lambda expression parameters can be initialized

```
auto x = [](int i = 6) { return i + 4; };
```

Lambda Expressions - Composability

Lambda expressions can be composed

```
auto lambda1 = [](int value){ return value + 4; };  
auto lambda2 = [](int value){ return value * 2; };  
  
auto lambda3 = [&](int value){ return lambda2(lambda1(value)); };  
// returns (value + 4) * 2
```

A function can return a lambda (dynamic dispatch is also possible)

```
auto f() {  
    return [](int value){ return value + 4; };  
}  
  
auto lambda = f();  
cout << lambda(2); // print "6"
```


constexpr/constexpr Lambda Expression

C++17 Lambda expression supports `constexpr`

C++20 Lambda expression supports `constexpr`

```
// constexpr lambda  
auto factorial = [](int value) constexpr {  
    int ret = 1;  
    for (int i = 2; i <= value; i++)  
        ret *= i;  
    return ret;  
};  
auto mul = [](int v) constexpr { return v * 2; };  
  
constexpr int v1 = factorial(4) + mul(5); // '24' + '10'
```

C++20 Lambda expression supports `template` and `requires` clause

```
auto lambda = []<typename T>(T value)
    requires std::is_arithmetic_v<T> {
    return value * 2;
};

auto v = lambda(3.4); // v: 6.8 (double)

struct A{} a;
// auto v = lambda(a); // compiler error
```

mutable Lambda Expression

Lambda capture is *by-const-value*

`mutable` specifier allows the lambda to modify the parameters captured *by-value*

```
int var = 1;

auto lambda1 = [&]() { var = 4; };           // ok
lambda1();
cout << var; // print '4'

// auto lambda2 = [=]() { var = 3; };     // compile error
// lambda operator() is const

auto lambda3 = [=]() mutable { var = 3; }; // ok
lambda3();
cout << var; // print '4', lambda3 captures by-value
```

[[nodiscard]] Attribute

C++23 allows adding the `[[nodiscard]]` attribute to lambda expressions

```
auto lambda = [] [[nodiscard]] () { return 4; };
```

```
lambda();           // compiler warning
```

```
auto x = lambda(); // ok
```

Capture List and Classes ~→

- `[this]` captures the current object `(*this)` *by-reference* (implicit in C++17)
- `[x = x]` captures the current object member `x` *by-value* C++14
- `[&x = x]` captures the current object member `x` *by-reference* C++14
- `[=]` default capture of `this` pointer by value has been deprecated C++20

```
class A {
    int data = 1;

    void f() {
        int var = 2; // <-- local variable
        auto lambda1 = [=]() { return var; }; // copy by-value, return 2
        auto lambda2 = [=]() { int var = 3; return var; }; // return 3 (nearest scope)
        auto lambda3 = [this]() { return data; }; // copy by-reference, return 1
        auto lambda4 = [*this]() { return data; }; // copy by-value (C++17), return 1
        // auto lambda5 = [data]() { return data; }; // compile error 'data' is not visible
        auto lambda6 = [data = data]() { return data; }; // return 1
    }
};
```

Preprocessing

Preprocessing and Macro

A **preprocessor directive** is any line preceded by a *hash* symbol (#) which tells the compiler how to interpret the source code before compiling it

Macro are preprocessor directives which substitute any occurrence of an *identifier* in the rest of the code by replacement

Macro are evil:

Do not use macro expansion!!

...or use as little as possible

- Macro cannot be directly debugged
- Macro expansions can have unexpected side effects
- Macro have no namespace or scope

All statements starting with

- `#include "my_file.h"`

Inject the code in the current file

- `#define MACRO <expression>`

Define a new macro

- `#undef MACRO`

Undefine a macro

(a macro should be undefined as early as possible for safety reasons)

Multi-line Preprocessing: `\` at the end of the line

Indent: `# define`

Conditional Compiling

- `#if <condition>`

`code`

`#elif <condition>`

`code`

`#else`

`code`

`#endif`

- `#if defined(MACRO)` equal to `#ifdef MACRO`
`#elif defined(MACRO)` equal to `#elifdef MACRO` C++23

Check if a macro is defined

- `#if !defined(MACRO)` equal to `#ifndef MACRO`
`#elif !defined(MACRO)` equal to `#elifndef MACRO` C++23

Check if a macro is not defined

Common Error 1

A Define macros in header files and before includes!!

```
#include <iostream>

#define value // very dangerous!!
#include "big_lib.hpp"

int main() {
    std::cout << f(4); // should print 7, but it always prints 3
}
```

big_lib.hpp:

```
int f(int value) { // 'value' disappears
    return value + 3;
}
```

It is very hard to see this problem when the macro is in a header

Common Error 2

`#if defined` can introduce bugs related to macro visibility

```
// #include "macro_definition.hpp" // forget to add the header that defines ENABLE_DEBUG
```

```
#if defined(ENABLE_DEBUG)
```

```
    void f(int v) { cout << v << endl; return v * 3; }
```

```
#else
```

```
    void f(int v) { return v * 3; }
```

```
#endif
```

```
#if ENABLE_DEBUG // evaluated to 0 or 1
```

```
    void f(int v) { cout << v << endl; return v * 3; }
```

```
#else
```

```
    void f(int v) { return v * 3; }
```

```
#endif
```

Forget to use parenthesis in macro definitions!!

```
#include <iostream>

#define SUB1(a, b) a - b           // WRONG
#define SUB2(a, b) (a - b)        // WRONG
#define SUB3(a, b) ((a) - (b))    // correct

int main() {
    std::cout << (5 * SUB1(2, 1)); // print 9 not 5!!
    std::cout << SUB2(3 + 3, 2 + 2); // print 6 not 2!!
    std::cout << SUB3(3 + 3, 2 + 2); // print 2
}
```

Macros make hard to find compile errors!!

```
1: #include <iostream>
2:
3: #define F(a) {      \
4:     ...             \
5:     ...             \
6:     return v;
7:
8: int main() {
9:     F(3);           // compile error at line 9!!
10: }
```

- In which line is the error??!*

*modern compilers are able to roll out the macro

Common Error 5

Macro can introduce bugs related to the evaluation of their expressions!!

```
#if defined(DEBUG)
#   define CHECK(EXPR)    // do something with EXPR
    void check(bool b) { /* do something with b */ }
#else
#   define CHECK(EXPR)    // do nothing
    void check(bool) {} // do nothing
#endif
bool f() { /* return a boolean value */ }

check( f() )
CHECK( f() ) // <-- problem here
```

- What happens when `DEBUG` is not defined?

`f()` is not evaluated by using the macro

Common Error 6

Forget curly brackets in multi-lines macros!!

```
#include <iostream>
#include <nuclear_explosion.hpp>

#define NUCLEAR_EXPLOSION          \ // {
    std::cout << "start nuclear explosion"; \
    nuclear_explosion();
                                     // }

int main() {
    bool never_happen = false;
    if (never_happen)
        NUCLEAR_EXPLOSION
} // BOOM!! 💀
```

The second line is executed!!

Macros do not have scope!!

```
#include <iostream>

void f() {
    #define value 4
    std::cout << value;
}

int main() {
    f();                // 4
    std::cout << value; // 4
    #define value 3
    f();                // 4
    std::cout << value; // 3
}
```

* In general, compilers raise a warning for multiple definitions of the same macro

Macros can have side effect!!

```
#define MIN(a, b) ((a) < (b) ? (a) : (b))

int main() {
    int array1[] = { 1, 5, 2 };
    int array2[] = { 6, 3, 4 };
    int i = 0;
    int j = 0;
    int v1 = MIN(array1[i++], array2[j++]); // v1 = 5!!
    int v2 = MIN(array1[i++], array2[j++]); // undefined behavior/
}                                           // segmentation fault ☠
```

Macros can have undefined behavior themselves!!

```
#define MY_MACRO defined(EXTERNAL_MACRO)

#if MY_MACRO
#   define MY_VALUE 1
#else
#   define MY_VALUE 0
#endif

int f() { return MY_VALUE; } // undefined behavior
```

When Preprocessors are Necessary

- **Conditional compiling:** different architectures, compiler features, etc.
- **Mixing different languages:** code generation (example: asm assembly)
- **Complex name replacing:** see template programming

Otherwise, prefer `const` and `constexpr` for constant values and functions

```
#define SIZE 3 // replaced with  
const int SIZE = 3; // only C++11 at global scope  
  
#define SUB(a, b) ((a) - (b)) // replaced with  
constexpr int sub(int a, int b) {  
    return a - b;  
}
```

`__LINE__` Integer value representing the current line in the source code file being compiled

`__FILE__` A string literal containing the name of the source file being compiled

`__FUNCTION__` (non-standard, gcc, clang) A string literal containing the name of the function in the 'macro scope'

`__PRETTY_FUNCTION__` (non-standard, gcc, clang) A string literal containing the full signature of the function in the 'macro scope'

`__func__` (C++11 keyword) A string containing the name of the function in the 'macro scope'

source.cpp:

```
#include <iostream>

void f(int p) {
    std::cout << __FILE__ << ":" << __LINE__; // print 'source.cpp:4'
    std::cout << __FUNCTION__;                // print 'f'
    std::cout << __func__;                    // print 'f'
}

// see template lectures
template<typename T>
float g(T p) {
    std::cout << __PRETTY_FUNCTION__;         // print 'float g(T) [T = int]\'
    return 0.0f;
}

void g1() { g(3); }
```

C++20 provides source location utilities for replacing macro-based approach

```
#include <source_location>
```

```
current() get source location info (static member)
```

```
line() source code line
```

```
column() line column
```

```
file_name() current file name
```

```
function_name() current function name
```

```
#include <source_location>
```

```
void f(std::source_location s = std::source_location::current()) {  
    cout << "function: " << s.function_name() << ", line " << s.line();  
}
```

```
f(); // print: "function: f, line 6"
```

Select code depending on the C/C++ version

- `#if defined(__cplusplus)` C++ code
- `#if __cplusplus == 199711L` ISO C++ 1998/2003
- `#if __cplusplus == 201103L` ISO C++ 2011*
- `#if __cplusplus == 201402L` ISO C++ 2014*
- `#if __cplusplus == 201703L` ISO C++ 2017

Select code depending on the compiler

- `#if defined(__GNUC__)` The compiler is gcc/g++ †
- `#if defined(__clang__)` The compiler is clang/clang++
- `#if defined(_MSC_VER)` The compiler is Microsoft Visual C++

* MSVC defines `__cplusplus == 199711L` even for C++11/14

† `__GNUC__` is defined by many compilers, e.g clang

Select code depending on the operating system or environment

- `#if defined(_WIN64)` OS is Windows 64-bit
- `#if defined(__linux__)` OS is Linux
- `#if defined(__APPLE__)` OS is Mac OS
- `#if defined(__MINGW32__)` OS is MinGW 32-bit
- ...and many others

`__DATE__` A string literal in the form "MMM DD YYYY" containing the date in which the compilation process began

`__TIME__` A string literal in the form "hh:mm:ss" containing the time at which the compilation process began

Very comprehensive macro list:

- `sourceforge.net/p/predef/wiki/Home/`
- Compiler predefined macros
- Abseil platform macros

Feature Testing Macro

C++17 introduces `__has_include` macro which returns `1` if header or source file with the specified name exists

```
#if __has_include(<iostream>)  
# include <iostream>  
#endif
```

C++20 introduces a set of macros to evaluate if a given feature is supported by the compiler

```
#if __cpp_constexpr  
constexpr int square(int x) { return x * x; }  
#endif
```

Macros depend on compilers and environment!!

```
struct A {  
    int x; // enable C++11 code  
#if __cplusplus >= 201103  
    A() = default;  
#else  
    A() {}  
#endif  
};  
  
// should return ≈ 10.0f  
float safe_function() {  
    A a{}; // zero-initialization  
    for (int i = 0; i < 10; i++)  
        a.x += 1.0f;  
    return a.x;  
}  
// what is the behavior ???
```

The code works fine on Linux, but not under Windows MSVC. MSVC sets `__cplusplus` to `199711` even if C++11/14/17 flag is set!! in this case the code can return `NaN`

see Lecture “Object-Oriented Programming II - Zero Initialization” and MSVC now correctly reports `__cplusplus`

Stringizing Operator (#)

The **stringizing macro operator** (`#`) causes the corresponding actual argument to be enclosed in double quotation marks `"`

```
#define STRING_MACRO(string) #string
```

```
cout << STRING_MACRO(hello); // equivalent to "hello"
```

```
#define INFO_MACRO(my_func) \
{\
    my_func \
    cout << "call " << #my_func << " at " \
        << __FILE__ << ":" << __LINE__;\
}
```

```
void g(int) {}
```

```
INFO_MACRO( g(3) ) // print: "call g(3) at my_file.cpp:7"
```

Code injection

```
#include <stdio>

#define CHECK_ERROR(condition) \
{ \
    if (condition) { \
        std::printf("expr: " #condition " failed at line %d\n", \
                    __LINE__); \
    } \
}

int t = 6, s = 3;
CHECK_ERROR(t > s) // print "expr: t > s failed at line 13"
CHECK_ERROR(t % s == 0) // segmentation fault!!! ☠️
// printf interprets "% s" as a format specifier
```

#error and #warning

- `#error "text"` The directive emits a user-specified error message at compile time when the compiler parse it and stop the compilation process
- `C++23 #warning "text"` The directive emits a user-specified warning message at compile time when the compiler parse it without stopping the compilation process

#pragma

The `#pragma` directive controls implementation-specific behavior of the compiler. In general, it is not portable

- `#pragma message "text"` Display informational messages at compile time (every time this instruction is parsed)
- `#pragma GCC diagnostic warning "-Wformat"`
Disable a GCC warning
- `_Pragma(<command>)` (C++11)

It is a keyword and can be embedded in a `#define`

```
#define MY_MESSAGE \  
    _Pragma("message(\"hello\")")
```

Token-Pasting Operator (##) ★

The **token-concatenation (or pasting) macro operator** (`##`) allows combining two tokens (without leaving no blank spaces)

```
#define FUNC_GEN_A(tokenA, tokenB) \  
    void tokenA##tokenB() {}
```

```
#define FUNC_GEN_B(tokenA, tokenB) \  
    void tokenA##_##tokenB() {}
```

```
FUNC_GEN_A(my, function)
```

```
FUNC_GEN_B(my, function)
```

```
myfunction(); // ok, from FUNC_GEN_A
```

```
my_function(); // ok, from FUNC_GEN_B
```


Variadic Macro ★

A **variadic macro C++11** is a special macro accepting a variable number of arguments (separated by comma)

Each occurrence of the special identifier `__VA_ARGS__` in the macro replacement list is replaced by the passed arguments

Example:

```
void f(int a)           { printf("%d", a);           }
void f(int a, int b)    { printf("%d %d", a, b);     }
void f(int a, int b, int c) { printf("%d %d %d", a, b, c); }
```

```
#define PRINT(...) \  
    f(__VA_ARGS__);
```

```
PRINT(1, 2)
```

```
PRINT(1, 2, 3)
```

Convert a number literal to a string literal

```
#define TO_LITERAL_AUX(x) #x  
#define TO_LITERAL(x)     TO_LITERAL_AUX(x)
```

Motivation: avoid integer to string conversion (performance)

```
int main() {  
    int x1 = 3 * 10;  
    int y1 = __LINE__ + 4;  
    char x2[] = TO_LITERAL(3);  
    char y2[] = TO_LITERAL(__LINE__);  
}
```